

WM 1101583	Order number: 1101583	

Version 3.2

Revision Date 04.10.2020

Print Date 07.04.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	FROSCH HDW LOTION ALOE VERA EF 500ML JP
Identification number	:	61785, 61767, 64682

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent

1.3 Details of the supplier of the safety data sheet

Company	: Erdal GmbH Neualmerstrasse 13 5400 Hallein
Telephone	: +436245801110
Telefax	: +43624580111350
E-mail address Responsible/issuing person	: Produktsicherheit@werner-mertz.com
Contact person	: Product development / product safety

1.4 Emergency telephone number

112

+43(0)1-4064343

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.3 Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

CAS-No.	Classification	Concentration
EC-No.		(% w/w)
Registration number		
68891-38-3	Skin Irrit. 2; H315	>= 3 - < 5
	Eye Dam. 1; H318	
01-2119488639-16	Aquatic Chronic 3; H412	
	SCL	
	5 - < 10 % 2; H319	
	>= 10,0 % 1; H318	
	EC-No. Registration number 68891-38-3	EC-No. Registration number 68891-38-3 Skin Irrit. 2; H315 601-2119488639-16 Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL 5 - < 10 % 2; H319

For explanation of abbreviations see section 16.



WM 1101583

Order number: 1101583

Version 3.2

Revision Date 04.10.2020

Print Date 07.04.2021

SECTION 4: First aid measures

4.1 Description of first aid measures					
General advice	:	No hazards which require special first aid measures.			
If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.			
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.			
In case of eye contact	:	Protect unharmed eye. If easy to do, remove contact lens, if worn. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.			
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.			
4.2 Most important symptoms and effects, both acute and delayed					
Symptoms	:	No information available.			
Risks	:	No information available.			
4.3 Indication of any immediate medical attention and special treatment needed					
Treatment	:	For specialist advice physicians should contact the Poisons Information Service.			

SECTION 5: Firefighting measures

5.1	Extinguishing media		
	Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2	Special hazards arising from the	suk	ostance or mixture
	Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
	Hazardous combustion products	:	No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for : In the event of fire, wear self-contained breathing apparatus. firefighters



WM 1101583	Order number: 1101583	
Version 3.2	Revision Date 04.10.2020	Print Date 07.04.202
Further information	: Collect contaminated fire extinguishing w not be discharged into drains. Fire residu extinguishing water must be disposed of regulations.	es and contaminated fire
SECTION 6: Accidental release m	neasures	
6.1 Personal precautions, protective	equipment and emergency procedures	
Personal precautions	: Use personal protective equipment.	
6.2 Environmental precautions		
Environmental precautions	: Do not flush into surface water or sanitary	y sewer system.
6.3 Methods and materials for contai	inment and cleaning up	
Methods for cleaning up	: Sweep up and shovel. Wipe up with absorbent material (e.g. clo	th fleece)
	Keep in suitable, closed containers for dis	
6.4 Reference to other sections		
	Keep in suitable, closed containers for dis	sposal.
For personal protection see section	Keep in suitable, closed containers for dis on 8., Treat recovered material as described in 15 for specific national regulation.	sposal.
For personal protection see section considerations"., Refer to section	Keep in suitable, closed containers for dis on 8., Treat recovered material as described in 15 for specific national regulation.	sposal.
For personal protection see section considerations"., Refer to section SECTION 7: Handling and storag	Keep in suitable, closed containers for dis on 8., Treat recovered material as described in 15 for specific national regulation.	sposal.
For personal protection see section considerations"., Refer to section SECTION 7: Handling and storag 7.1 Precautions for safe handling	Keep in suitable, closed containers for dis on 8., Treat recovered material as described in 15 for specific national regulation. e : For personal protection see section 8. No required. Dispose of rinse water in accord	sposal. a the section "Disposal o special handling advice dance with local and
For personal protection see section considerations"., Refer to section SECTION 7: Handling and storag 7.1 Precautions for safe handling Advice on safe handling Advice on protection against fire	 Keep in suitable, closed containers for distances on 8., Treat recovered material as described in 15 for specific national regulation. e For personal protection see section 8. No required. Dispose of rinse water in accord national regulations. 	sposal. the section "Disposal o special handling advice dance with local and ection.
For personal protection see section considerations"., Refer to section SECTION 7: Handling and storag 7.1 Precautions for safe handling Advice on safe handling Advice on protection against fire and explosion Hygiene measures	 Keep in suitable, closed containers for distances on 8., Treat recovered material as described in 15 for specific national regulation. For personal protection see section 8. Norrequired. Dispose of rinse water in accordinational regulations. Normal measures for preventive fire protestication in the end of the section in the end of the section in the end of the section in the sectio	sposal. the section "Disposal o special handling advice dance with local and ection.
For personal protection see section considerations"., Refer to section SECTION 7: Handling and storag 7.1 Precautions for safe handling Advice on safe handling Advice on protection against fire and explosion	 Keep in suitable, closed containers for distances on 8., Treat recovered material as described in 15 for specific national regulation. For personal protection see section 8. Norrequired. Dispose of rinse water in accordinational regulations. Normal measures for preventive fire protestication in the end of the section in the end of the section in the end of the section in the sectio	sposal. the section "Disposal o special handling advice dance with local and ection. d of workday. d well-ventilated place. Store
For personal protection see section considerations"., Refer to section SECTION 7: Handling and storag 7.1 Precautions for safe handling Advice on safe handling Advice on protection against fire and explosion Hygiene measures 7.2 Conditions for safe storage, inclu Requirements for storage areas	 Keep in suitable, closed containers for distances for distances. In 8., Treat recovered material as described in 15 for specific national regulation. For personal protection see section 8. Norrequired. Dispose of rinse water in accordinational regulations. Normal measures for preventive fire protection wash hands before breaks and at the ending any incompatibilities Keep container tightly closed in a dry and 	sposal. a the section "Disposal b special handling advice dance with local and ection. d of workday. d well-ventilated place. Store iner.
For personal protection see section considerations"., Refer to section SECTION 7: Handling and storag 7.1 Precautions for safe handling Advice on safe handling Advice on protection against fire and explosion Hygiene measures 7.2 Conditions for safe storage, inclu Requirements for storage areas and containers	 Keep in suitable, closed containers for distances of the second second	sposal. a the section "Disposal b special handling advice dance with local and ection. d of workday. d well-ventilated place. Store iner. her products.
For personal protection see section considerations"., Refer to section SECTION 7: Handling and storag 7.1 Precautions for safe handling Advice on safe handling Advice on protection against fire and explosion Hygiene measures 7.2 Conditions for safe storage, inclu Requirements for storage areas and containers Advice on common storage	 Keep in suitable, closed containers for distances of the second second	sposal. a the section "Disposal b special handling advice dance with local and ection. d of workday. d well-ventilated place. Store iner. her products.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters



WM 1101583

Order number: 1101583

Version 3.2

Revision Date 04.10.2020

Print Date 07.04.2021

Contains no substances with occupational exposure limit values.

DNEL

Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3:		End Use: Workers Exposure routes: Skin contact Potential health effects: Long-term systemic effects Value: 2750 mg/kg bw/day
		End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 175 mg/m3
		End Use: Consumers Exposure routes: Skin contact Potential health effects: Long-term systemic effects Value: 1650 mg/kg bw/day
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 52 mg/m3
		End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 15 mg/kg
		End Use: Workers Exposure routes: Skin contact Potential health effects: Long-term local effects Value: 0,132 mg/cm2
		End Use: Consumers Exposure routes: Skin contact Potential health effects: Long-term local effects Value: 0,079 mg/cm2
PNEC		
Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3:		Fresh water Value: 0,24 mg/l
		Marine water Value: 0,024 mg/l
		Fresh water sediment Value: 0,9168 mg/kg
		Marine sediment Value: 0,09168 mg/kg
		Soil Value: 7,5 mg/kg dry weight (d.w.)
		STP Value: 10000 mg/l
		4 / 13



/M 1101583	Order number: 1101583	
ersion 3.2	Revision Date 04.10.2020	Print Date 07.04.202
	intermittent release Value: 0,071 mg/l	
	Fresh water sediment Value: 5,45 mg/kg	
	Marine sediment Value: 0,545 mg/kg	
2 Exposure controls		
Personal protective equipment		
Eye protection	: not required under normal use	
Hand protection		
Material	: not required under normal use	
	For prolonged or repeated contact use pro It is suggested the usage of chemical resis rubber or nitrile rubber category III accord mm). As alternative, a different type of gloves m to the recommendations of the producer, g protection.	stant gloves made of butyl ing to EN 374-1: 2003 (0,4 night be used if, accordingly
Remarks	: Take note of the information given by the permeability and break through times, and conditions (mechanical strain, duration of	of special workplace
Skin and body protection	: not required under normal use	
Respiratory protection	: not required under normal use	
Environmental exposure controls	1	
General advice	: Do not flush into surface water or sanitary	sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	green
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	ca. 5,5, at20 °C
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available



VM 1101583	Order number: 1101583	
/ersion 3.2	Revision Date 04.10.2020	Print Date 07.04.202
Flash point	: Not applicable	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Flammability (liquids)	: No data available	
Burning rate	: No data available	
Lower explosion limit	: No data available	
Upper explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Relative density	: No data available	
Density	: ca. 1,025 g/cm3 at 20 °C	
Water solubility	: soluble	
Solubility in other solvents	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Ignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity, dynamic	: ca. 1.500 mPa.s at 20 °C	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions Hazardous reactions i No hazards to be specially mentioned. 10.4 Conditions to avoid Conditions to avoid No data available 10.5 Incompatible materials Materials to avoid No data available 10.6 Hazardous decomposition products



WM 1101583	Order number: 1101583	
Version 3.2	Revision Date 04.10.2020	Print Date 07.04.2021
Hazardous decomposition products	: No hazardous decomposition products a	re known.
Other information	: No hazardous decomposition products a	re known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Our company is strongly against animal testing. Our company does not place any orders for animal testing for the finished product or the ingredients. However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Product

Skin corrosion/irritation	:	According to the classification criteria of the European Union, the product is not considered as being a skin irritant.	
Serious eye damage/eye irritation	:	According to the classification criteria of the European Union, the product is not considered as being an eye irritant.	
Respiratory or skin sensitisation	:	No data available	
Germ cell mutagenicity	:	Not Rated	
Carcinogenicity	:	Not Rated	
Reproductive toxicity	:	Not Rated	
STOT - single exposure	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.	
STOT - repeated exposure	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.	
Aspiration toxicity	:	Not Rated	
Further information	:	No data available	
Components: Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3: Acute oral toxicity : LD50 Oral Rat: 2.870 mg/kg Method: OECD Test Guideline 401			
		LD50 Rat: 7.400 mg/kg Method: OECD Test Guideline 401	

Acute dermal toxicity : LD50 Rat: > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes



WM 1101583	Order	number: 1101583	
Version 3.2	Revisio	n Date 04.10.2020	Print Date 07.04.2021
Skin corrosion/irritation	Species: Method:	Rabbit OECD Test Guideline 404	
Serious eye damage/eye irritation	Species: Method:	Rabbit OECD Test Guideline 405	
Respiratory or skin sensitisation	Result: D	Does not cause skin sensitisation	n.
Germ cell mutagenicity			
Genotoxicity in vitro	Result: n Method:	egative OECD Test Guideline 471	
Reproductive toxicity	NOAEL:	Rat on Route: Oral > 300 mg/kg, 0 mg/kg, Method: OECD Test G	uideline 416
Teratogenicity	>1.000 n > 1.000 ı	on Route: Oral ng/kg	
Repeated dose toxicity	NOAEL:	300 mg/kg	
STOT - repeated exposure		e routes: Ingestion Irgans: Liver	

SECTION 12: Ecological information

12.1 Toxicity		
<u>Components:</u> Alcohols, C12- 68891-38-3:	4, ethoxylated, sulfa	ates, sodium salts
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 7,1 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes LC50 (Fish): > 1 - 10 mg/l Test Type: semi-static test Method: OECD Test Guideline 203 LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l Method: OECD Test Guideline 203 NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l Exposure time: 28 d Test Type: flow-through test Method: OECD Test Guideline 204



WM 1101583	Order number: 1101583
Version 3.2	Revision Date 04.10.2020 Print Date 07.04.202
	LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l Test Type: flow-through test Method: OECD Test Guideline 203
	LC50 (Brachydanio rerio (zebrafish)): 7,1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): 7,4 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202
	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
	NOEC (Daphnia magna (Water flea)): 0,27 mg/l Exposure time: 21 d Test Type: flow-through test Method: OECD Test Guideline 211
	(Daphnia magna (Water flea)): 7,2 mg/l Exposure time: 48 h
Toxicity to algae	 EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes
	EC50 (Scenedesmus subspicatus): 10 - 100 mg/l Method: OECD Test Guideline 201
	EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
	NOEC : 0,95 mg/l Test Type: Growth inhibition Method: OECD Test Guideline 201
	NOEC (Desmodesmus subspicatus (green algae)): 0,93 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to bacteria :	 EC50 (Pseudomonas putida): > 10 g/l Exposure time: 16 h Test Type: Cell multiplication inhibition test Method: DIN 38412 GLP: yes
	EC10 (Pseudomonas putida): > 10 g/l Test Type: Cell multiplication inhibition test GLP:
Toxicity to fish (Chronic toxicity)	: NOEC: 1,2 mg/l
	NOEC: 1 - 10 mg/l



WM 1101583	Order number: 1101583	
Version 3.2	Revision Date 04.10.2020	Print Date 07.04.2021
	Species: Leuciscus idus (Golden orfe) NOEC: 0,14 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow tro Method: OECD Test Guideline 204	out)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: > 0,1 - 1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211	
Toxicity to soil dwelling organisms	: NOEC: 750 mg/kg Exposure time: 96 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222	
12.2 Persistence and degradability		
Product:		
Biodegradability	: Remarks: The surfactant(s) contained in thi (comply) with the biodegradability criteria as (EC) No. 648/2004 on detergents.	
<u>Components:</u> Alcohols, C12-14, ethoxylated, 68891-38-3:	sulfates, sodium salts	
Biodegradability	: Test Type: aerobic Result: rapidly biodegradable Biodegradation: > 70 % Exposure time: 28 d Method: OECD 301 A	
	Test Type: anaerobic Result: Biodegradable Biodegradation: > 60 % Exposure time: 41 d	
12.3 Bioaccumulative potential		
<u>Components:</u> Alcohols, C12-14, ethoxylated,	sulfates, sodium salts	
68891-38-3: Bioaccumulation	: Remarks: Bioaccumulation is unlikely.	
12.4 Mobility in soil		
Components:		
Alcohols, C12-14, ethoxylated, 68891-38-3:	sulfates, sodium salts	
Distribution among environmental compartments	: Adsorption/Soil Medium:Soil Koc: 191Method: see user defined free text	
12.5 Posulte of PPT and vPvP asso	coment	

12.5 Results of PBT and vPvB assessment

Components:



WM 1101583		Order number: 1101583	
Version 3.2		Revision Date 04.10.2020	Print Date 07.04.202
Alcohols, C12-14, ethoxylated, 68891-38-3:	sulfa	ates, sodium salts	
Assessment	:	This substance is not considered to be bioaccumulating (vPvB) This substance persistent, bioaccumulating and toxic (F	ce is not considered to be
12.6 Other adverse effects			
Product:			
Additional ecological information	:	There is no data available for this produ	uct.
SECTION 13: Disposal consider	atior	IS	
13.1 Waste treatment methods			
Product	:	Offer surplus and non-recyclable solutio company.	ons to a licensed disposal
Contaminated packaging	:	Empty remaining contents. Empty containers should be taken to ar site for recycling or disposal.	n approved waste handling
SECTION 14: Transport information	on		
14.1 UN number ADR			
Not dangerous goods			
IMDG			
Not dangerous goods IATA			
Not dangerous goods			
14.2 Proper shipping name Not regulated as a dangerous go	od		
14.3 Transport hazard class			
ADR Not dangerous goods			
IMDG			
Not dangerous goods IATA			
Not dangerous goods			
14.4 Packing group ADR			
Not dangerous goods			
IMDG			
Not dangerous goods IATA			
Not dangerous goods			
14.5 Environmental hazards			
ADR Not dangerous goods			
IMDG			
Not regulated as a dangerous go	od		



WM 1101583	Order number: 1101583	
Version 3.2	Revision Date 04.10.2020	Print Date 07.04.202
14.6 Special precautions for user Remarks	: Not classified as dangerous in the meaning	ng of transport regulations.
For personal protection see sec	tion 8.	
14.7 Transport in bulk according to Not applicable for product as su	• Annex II of MARPOL 73/78 and the IBC Cod pplied.	le
SECTION 15: Regulatory inform	nation	
15.1 Safety, health and environme	ntal regulations/legislation specific for the su	ubstance or mixture
Regulation (EC) No 649/2012 o the Council concerning the expo chemicals		able
REACH - Restrictions on the ma market and use of certain dange and articles (Annex XVII)		able
Seveso III: Directive 2012/18/EI of the European Parliament and the Council on the control of major-accident hazards involvin dangerous substances. TA Luft List (Germany)	 I of g : Total dust: Not applicable : Inorganic substances in powdered form: : Inorganic substances in vapour or gaseoi 1,08 % : Organic Substances: : portionClass 1: 0,9 : Carcinogenic substances: Not applicable 	us form: : portionClass 3:
	Mutagenic: Not applicableToxic to reproduction: Not applicable	
Volatile organic compounds (VOC) content	 Directive 2010/75/EU of 24 November 20 (integrated pollution prevention and contr Update: Percent volatile: 0,89 % 93,74 g/l VOC content excluding water 	
Volatile organic compounds (VOC) content	 Directive 2010/75/EU of 24 November 20 (integrated pollution prevention and contr Update: Percent volatile: 0,89 % 9,12 g/l VOC content valid only for coating material 	rol)
according to Detergents	: 5 - <15% Anionic surfactants, <5% Amph	

15.2 Chemical safety assessment



WM 1101583

Order number: 1101583

Version 3.2

Revision Date 04.10.2020

Print Date 07.04.2021

SECTION 16: Other information

Full text of H-Statements

H315	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

Further information

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure:

Calculation method

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS -Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

50000004533